



GOOD BIOTECH CORP.

Website : www.good-biotech.com

E-mail : technical@good-biotech.com

38, 34<sup>th</sup> Road Taichung Industrial Park

Taichung 40768 Taiwan

Tel: +886-4-23596873

Fax:+886-4-23590410

ISO9001:2000/ISO13485:2003 & IVD GMP CERTIFIED

## SPECIFICATION SHEET

PRODUCT:	Duck IgY( $\Delta$ Fc) to <b>Human alpha-fetoprotein</b>
CATALOG NUMBER	D0201-2B
HOST ANIMAL:	Duck
DESCRIPTION:	IgY( $\Delta$ Fc )to human alpha-fetoprotein is developed in duck by using purified human AFP as immunogen. The antibody is purified from egg yolk. The product is supplied as a solution in 20mM MES( 2-( N-Morpholino )ethanesulfonic acid ), pH 5.8, containing 0.1% NaN <sub>3</sub> as a preservative.
IMMUNOGEN:	Purified human alpha-fetoprotein
CONCENTRATION:	$\geq 10$ mg/ml, The concentration was determined by 280 nm by spectrophotometer, using 1.4 as the extinction coefficient
PURITY:	Determined by SDS-PAGE ( blue stain ) , showing that the IgY( $\Delta$ Fc) constitute was $\geq 80\%$ of total protein, and the total immunoglobulin IgY + IgY( $\Delta$ Fc) constitute was $\geq 90\%$ of total protein.
STORAGE:	For continuous use, store at 0~5°C. For extended storage: -20°C. Repeated freezing and thawing is not recommended.
SPECIFICITY:	A single arc was shown by Immuno-electrophoresis while the antibody was reacting with part-pure alpha-fetoprotein and normal human serum. Similar specific reactions were observed when the antibody was tested by western blot assay.
TITER:	ELISA titer: $\geq 1000x$ ELISA titer is defined as the dilution of antibody ( 1mg/ml ) sufficient to give a change in absorbance of <b>1.0</b> at 450nm. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.
APPLICATIONS:	Good to be used in immunoassay method e.g. TIA, ELISA, Immuno-electrophoresis, Western Blot assay, Immunodiffusion assay <i>et al.</i>
RELATIVE PRODUCTS:	Duck IgY( $\Delta$ Fc) to Human alpha-fetoprotein—affinity purify ( <b>D0201-2D</b> )

For *in vitro* research and the manufacturing of diagnostic only.