



GOOD BIOTECH CORP.

Website : www.good-biotech.com

E-mail : technical@good-biotech.com

38, 34th Road Taichung Industrial Park

Taichung 40768 Taiwan

Tel: +886-4-23596873

Fax:+886-4-23590410

ISO9001:2000/ISO13485:2003 & IVD GMP CERTIFIED

SPECIFICATION SHEET

PRODUCT:	Duck IgY(Δ Fc) to Digoxin —BSA adsorbed
CATALOG NUMBER	D1805-2G
HOST ANIMAL:	Duck
DESCRIPTION:	IgY (Δ Fc) antibody to Digoxin is developed in duck by using Digoxin-BSA as immunogen. Adsorption is performed by BSA coupling column. The product is supplied as a solution in 10mM phosphate buffer, 0.14M sodium chloride, pH 7.4, containing 0.02% NaN ₃ as a preservative.
IMMUNOGEN:	Digoxin-BSA
CONCENTRATION:	≥ 1.0 mg/ml, The concentration was determined by 280 nm by spectrophotometer, using 1.4 as the extinction coefficient
PURITY:	Determined by SDS-PAGE (blue stain) , showing that the IgY(Δ Fc) constitute was $\geq 80\%$ of total protein, and the total immunoglobulin IgY+IgY(Δ Fc) constitute was $\geq 80\%$ of total protein.
STORAGE:	For continuous use, store at 0~5°C. For extended storage: -20°C. Repeated freezing and thawing is not recommended.
SPECIFICITY:	N.D.
TITER:	ELISA titer: $\geq 10000x$ ELISA titer is defined as the dilution of antibody (1mg/ml) sufficient to give a change in absorbance of 1.0 at 450nm. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.
APPLICATIONS:	Good to be used in immunoassay method e.g. TIA, ELISA, Immunoelectrophoresis, Western Blot assay, Immunodiffusion assay <i>et al.</i>
RELATIVE PRODUCTS:	Duck IgY(Δ Fc) to Digoxin—affinity purified, BSA adsorbed (D1805-2H)

For *in vitro* research and the manufacturing of diagnostic only.